

American mahjong tiles

A working document for quotation and physical sample approval. It is not a stock specification, certificate or promise of testing.

Material

Acrylic

Base size

30 mm; confirm the complete height × width × thickness for your order.

Standard packaging

Cellophane wrapping

Custom packaging

Custom storage bags, logos and packaging bags available.

Customization

Original face and back artwork, back colors and custom dimensions. Send your design for a quote.

Minimum order

100 pieces; mixed colors supported.

HTML specification: </collections/custom-american-mahjong-tiles/>

White-background product imagery illustrates design directions. Exact material, dimensions, tolerances, weight, finish and packing must be confirmed for the physical sample.

Choose a construction reference.

Dimensions follow the factory-supplied chart: height x width x thickness, in millimeters. These are size references; confirm availability and tolerances for your project.

Reference	Height (mm)	Width (mm)	Thickness (mm)
23#	31	22.5	20.5
32#	35	25.5	22.5
36#	36	26	19.5
38#	38	28	20.7
40#	40	29	21.5
42#	42	31	21
44#	44	33	22.6
46#	46	34	23.3
48#	48	35	24
50#	50	36	25.3
52#	52	37	26
54#	54	39	28

1-6 layer directions

Specify the material, color and thickness of every layer. The illustrated layer count is a construction direction, not proof of material performance. Custom dimensions and original artwork can also be discussed.

Tile inventory

List the complete face-by-face playing inventory and extras separately. A nominal 152, 160 or 166 count does not define the identity of spare tiles or other included accessories. Check the actual tiles with the selected rack and storage.

SAMPLE ACCEPTANCE RECORD

Record the final decisions.

Project: _____ Sample / revision: _____

Reviewer: _____ Date: _____

Artwork & identity

Approved front/back files; logo placement; revision number; ownership or permission for every supplied design.

Result / open issue: _____

Inventory & dimensions

Face-by-face tile list; playing inventory and extras separately; height × width × thickness; tolerances and measurement method.

Result / open issue: _____

Color & construction

Material identity; layer structure; a physical reference for every material; lighting and acceptable variation.

Result / open issue: _____

Compatibility

Full hand and wall with the actual racks; pusher clearance; mat layout; loaded bag and box fit.

Result / open issue: _____

Packaging & dispatch

Retail unit; component count; protective inserts; labels; carton quantity, size and gross/net weight; destination and delivery terms.

Result / open issue: _____

Release & records

Dated sample approval; open issues; agreed inspection scope; defect categories; batch references; sign-off responsibility.

Result / open issue: _____

Decision: APPROVE / REVISE / HOLD

Attach the approved artwork, measured dimensions, color references and packing list. Record any unresolved item before releasing production. Charges, revisions, tooling, delivery terms and defect handling must be agreed in writing.